Xpert® **Xpress** Strep A

Rapid, Quality Results. No Compromise.







Xpert® Xpress Strep A

The Need

Accurately diagnose pharyngitis caused by Group A Streptococcus (GAS).

 Annually, 616 million people have GAS pharyngitis, more than 18.1 million people develop severe GAS disease and more than 517,000 people die due to severe GAS disease.¹

Reduce overuse of antibiotics for the treatment of pharyngitis

Based on recent literature 37% of children presenting with pharyngitis tested positive for GAS, however 56% of visits were associated with antibiotic prescriptions. Similarly, 18% of adults presenting with pharyngitis caused by GAS, but 72% were treated with antibiotics.²

The Solution

- Cepheid provides on-demand testing for Group A Strep in as soon as 18 minutes.*
- Careful selection of the target gene produces quality results.
- Delivering accurate and timely results optimizes fast treatment decisions and eliminates the need to perform culture confirmation of negative results.

The Impact

- Accurate diagnosis of GAS supports antimicrobial stewardship and may reduce the amount of patients inappropriately prescribed antibiotics.
- Gain testing efficiencies and reduce costs by eliminating culture confirmation testing.³
- Reduce the risk of GAS complications such as rheumatic fever and glomerulonephritis.
- Improve patient satisfaction with quicker time to result and appropriate prescriptions.
- * With Early Assay Termination for positive results. Refer to Package Insert Xpress Strep A 301-6574 Rev. A.

66 National guidelines for Pharyngitis recommend antibiotic therapy only for streptococcal pharyngitis.2"


The Infectious Disease Society of America further clarifies that, with the rare exception of infection by certain *Corynebacterium diphtheriae* and *Neisseria gonorrhoeae*, antimicrobial therapy is of no proven benefit as treatment for acute pharyngitis due to organisms other than Group A Streptococcus.⁴



Impact on Outpatient Pathway

Improving Patient Satisfaction

Xpert® **Xpress** Strep A provides medically actionable and timely information to clinicians to support improved patient management and antibiotic stewardship.





Xpert® Xpress

Powered by Cepheid Innovation

Xpert® Xpress Strep A is a qualitative real-time PCR test providing accurate detection of Group A Streptococcus in as soon as 18 minutes*.

Group A Strep Detection in 3 Simple Steps





Obtain throat swab specimen





Transfer sample to cartridge





True Automation for Group A Strep Testing

CATALOG NUMBER COLLECTION DEVICES (not included in kit) Can be ordered through your local distributor * With Early Assay Termination for positive results. Refer to Package Insert Xpert Xpress Strep A 301-6574 Rev. A.

- The Global Burden of Group A Streptococcal Diseases. Lancet Infect Dis. 2005 Nov; 5(11):685-94.
- Fleming-Dutra KE, et al. Prevalence of Inappropriate Antibiotic Prescriptions Among US Ambulatory Care Visits, 2010-2011. JAMA. 2016 May 3;315(17):1864-73.
- 3. Workflow studies conducted by Cepheid Solutions demonstrate that a throat culture confirmation workup costs \$9.13 per culture. (Average cost includes reagents, labor cost and time). Data on file.
- Shulman ST, et al. Clinical Practice Guideline for the Diagnosis and Management of Group A Streptococcal Pharyngitis: 2012 Update by the Infectious Diseases Society of America. Clin Infect Dis. 2012 Nov 15;55(10):1279-82.

For In Vitro Diagnostic Use.

CORPORATE HEADQUARTERS

904 Caribbean Drive Sunnyvale, CA 94089 USA

TOLL FREE 1.888.336.2743 PHONE 1.408.541.4191 FAX 1.408.541.4192

EUROPEAN HEADQUARTERS

Vira Solelh 81470 Maurens-Scopont France

PHONE 33.563.82.53.00 FAX 33.563.82.53.01

www.Cepheid.com